

Maxtop

SGL

Operations and Maintenance Manual



perfecting the washroom environment

maxwoodwashrooms.com



Cleaning and Maintenance

SGL Vanity Top and Underpanels: Maintain by cleaning with a damp cloth and a mild detergent. This method will remove most normal stains such as, dirt, soil, oil, fat, finger marks, rust, lime deposits, juice, coffee, tea, blood, wax etc. More stubborn stains such as crayons, lead-pencil, ballpoint pens, shoe polish and lipstick can be removed with an organic solvent such as methylated spirits, or nail varnish remover.

Abrasive cleaning agents should not be used to remove marks, as they will scratch the surface.

Although solid grade laminate products are water resilient, take care when cleaning to any timber in close proximity.

Solid grade laminate products are impervious to disinfectants based on alcohols, aldehydes, phenols and quaternary-ammonia compounds.

Certain substances such as fruit juice, bleaches and strong mineral acids should be wiped off straight away, as this may result in discolouration.

Technical Specification

Postformed downstand and integral upstand or separate top and downstand

MANUFACTURER Maxwood, Bodmin Road, Wyken, Coventry, CV2 5DB.
Telephone 024 7662 1122 **Fax** 024 7662 2922
Email sales@maxwoodwashrooms.com
REFERENCE Maxwood Xirco Profile / Profile SR.

VANITY TOP

Core material: 12.5mm solid grade laminate for top, postformed downstand and integral upstand.

Colour/Finish: Maxwood Colour Selector (Marin Range solid grade only)

Edge treatment: All exposed edges are radiused and polished.

FRAMING

Core material: 18mm WBP plywood with support framework.

Colour/Finish: High Pressure Laminate from Maxwood Colour Selector.

PANELS

Core material: 12.5mm solid grade laminate.

Colour/Finish: Maxwood Colour Selector (Marin Range solid grade only).

Edge treatment: All exposed edges are radiused and polished.

OPTIONS

- Access Panels
- Lockable (security screw or budget lock)
- 20mm postformed HPL

OTHER

- Loose upstand available
- Cantilever tops (incl. brackets)
- Variable plinth height to suit skirting type
- Children's height available
- Complementary light pelmets

maxwood safety data

FIRST PRODUCED: August 1996

REVISED: November 1999

REVISED: October 2005

REVISED: October 2008

PRODUCT APPEARANCE:

Decorative, laminated or veneered products

SPECIFIED USE:

In accordance with contractors requirements

HEALTH INFORMATION CLASSIFICATION:

Wood-based sheet materials and laminated products have no classification under the classification, packaging and labelling regulations 1984, and therefore are considered non-hazardous.

ADDITIONAL HEALTH INFORMATION:

There are no particular hazards to health caused by contact with or touch of the products other than care being required when manually lifting heavy items to avoid injury.

If any on-site fitting is required, inhalation of wood dust may cause increased mucosal output or irritation to the skin or eyes.

Small laminate chips may occasionally cause minor injuries to fingers; however normal workplace First Aid provisions will generally be sufficient to treat such injuries.

Some wood based sheet materials contain formaldehyde resins. Sensitisation to formaldehyde can be a problem for some individuals even at very low levels. The symptoms can be stinging eyes or coughing.

The maximum exposure limit (MEL) for formaldehyde vapour is 2 PPM over an 8 hour TWA (Time Weighted Average) and also over a 10 minute reference period.

These levels are highly unlikely to be exceeded in relation to normal use of any Maxwood product.

FIRE/EXPLOSION INFORMATION:

There are no specific fire or explosion hazards, however the products will burn. To extinguish flames, water-spray extinguishers may be used.

STORAGE:

All Maxwood products should be stored flat where possible away from extremes of moisture and excessive heat.

HANDLING/USER PRECAUTIONS:

The surface material may have sharp edges. Gloves and safety shoes should be worn. Exercise care when manually lifting heavy items. Suitable respiratory equipment may be required during fitting operations.

DISPOSAL:

May be safely disposed of in skips in accordance with current environmental and local regulations. Care should be taken to avoid laceration from potentially sharp laminate edges.

STABILITY AND REACTIVITY:

Strong acids or alkaline solutions may cause permanent discolouration and/or loss of surface gloss to some laminated products.

HEALTH & ENVIRONMENTAL ASPECTS:

Decorative laminates are fully cured and chemically inert. They are not classified as toxic or harmful. If finely ground during fabrication, the accidental inhalation of small quantities of dust need not be cause for concern, but in all cases where the machining generates large scale airborne dust particles, dust masks and local exhaust ventilation should be provided to ensure dust is directed away from the breathing zone of the operator.

Most powders can cause irritation with persistent direct contact with the skin. The sensitivity of individuals varies considerably, but a few may develop non-infective industrial dermatitis. Problems of this nature can invariably be avoided by simple basic precautions, such as the use of dust masks, gloves, overalls, and care with personal hygiene. Properly dispensed pre-work barrier creams, soaps, washing facilities, and after-work conditioning creams will prove effective. In the exceptional case of a person with an allergic sensitivity to the dust, the only remedy is to avoid all contact at any level of exposure. Professional medical advice should be obtained in such cases.

There is no measurable fume or reactive constituent in laminate.

This information is based on the present state of our knowledge and experience and does not imply any acceptance of liability for loss, damage or consequential loss arising directly or indirectly from the use of the information or the use of the company's products described herein. No warranty is given or implied that use of the information or any such product does not infringe the proprietary rights of any third party. Prospective users are solely responsible for any use of the products and/or information that is not in accordance with the original intended purpose of the said product or information.

generic project notes

- If additional deliveries or part deliveries are required, extra carriage charges will be applicable.
- The above quotation is based on two laminate colours chosen from the Maxwood Standard Laminate Colour Selector throughout the project. Should more than two colours be required, this may incur an additional cost. Please contact us for clarification.
- The above quotation is based on one powder-coated hardware colour throughout the project. Additional hardware colours may incur an additional surcharge.
- Quoted prices are fixed for a total of six months.
- Basin cut-outs are cut in accordance with the template supplied by the manufacturer of the basin, and therefore any discrepancies between the wash hand basin and the template cannot be allowed for. Maxwood cannot be held responsible for any additional trimming out required to ensure a perfect fit.
- The above quotation does not include for laminate shadow strips. Please contact us to discuss your requirements, should these be required.
- DELIVERY DATES CAN ONLY BE CONFIRMED ONCE ALL DETAILS AND INFORMATION NECESSARY FOR MANUFACTURE HAVE BEEN RECEIVED AND CONFIRMED.
- Assumed ceiling height – 2500mm.
- The above quotation does not include toilet roll holders. An accessories catalogue is available on request – email us at sales@maxwoodwashrooms.com
- Please note, when choosing colours, that wood grain laminate finishes chosen for duct panel sets will incur an extra cost of £15.00 per high pressure laminate duct panel set and £30.00 per compact laminate duct panel set, due to excessive wastage.

Maxwood Assistance

Should you wish to discuss care for your existing Maxwood washroom systems, or enquire about washroom systems for future projects, contact Maxwood for specialist assistance.

call 024 7662 1122

fax 024 7662 2922

email sales@maxwoodwashrooms.com

Maxwood reserves the right to alter specification and designs without prior notice.

© All rights reserved, no part of this publication may be reproduced in any material form (including photocopying or storing it in any medium by electronic means and whether or not transiently, or incidentally to some other use of this publication) without the written permission of the copyright owner. Application for the copyright owner's permission to reproduce any part of this publication should be addressed to Maxwood.

Every effort has been made to ensure that all advice and recommendations made in this manual are accurate and reliable. However, Maxwood will not be held responsible for the consequences of any action suggested in this manual.

Designed and produced by Highclere 01686 629829

