



Experience washrooms that go beyond.

The Washroom Studio River House 143-145 Farringdon Road London EC1R 3AB

Call 024 7662 1122

Email inspired@maxwoodwashrooms.com

Visit www.maxwoodwashrooms.com



Maranté

VENEER / HPL

Adaptable and chic, Maranté is minimal washroom styling at its best. The flush surface appearance derives from a unique pilaster design, using rebated hardwood lipping so the pilasters run in-line with the doors. This elegance is further complemented by the total privacy that this full height system offers which combines to make Maranté the most desirable premium washroom solution.

Soft close doors on fall-to-close hinges used to maintain flush appearance

Available in any HPL or veneer finish, as well as metal and other bespoke finishes.

44mm thick hardwood lipped doors with 32mm thick division panels

Solid stainless steel ironmongery, available in a range of colours

Full height and made to measure

Versatile - can be installed in conjunction with dividing stud partition walls



Specifications

MARANTÉ HPL

Reference: Maxwood MARANTÉ HPL Range

DIVISIONS

Core material: 30mm high grade particle board 650kg/m³ supplied in two parts.

Colour/ Finish: High pressure laminate as per client choice giving 32 mm overall panel thickness.

Edge treatment: All edges lipped in impact-resistant ABS with polyurethane adhesive (see below).

Adhesive Type: All components are bonded with specialist polyurethane washroom adhesive, for ultimate water-resistance and strength of bonding. This adhesive is environmentally friendly with its zero rating on formaldehyde emissions.

DOORS / OVER-DOOR PANELS AND PILASTERS

Core material: 44mm high grade particle board 650kg/m³.

Colour/Finish: High pressure laminate as per client choice giving 44mm overall panel thickness.

Edge treatment: Rebated vertical edges lipped in 20mm hardwood with 10mm hardwood to horizontal edges. All over-laminated to conceal lipping.

Above-door-panel option available on request.

IRONMONGERY

Hinges: Solid stainless steel Butt hinges (fall to close)

Indicator bolt: Solid stainless steel mortise lock with lever operated turn action.

Damper: Hidden hydraulic soft close mechanism to all doors

Internal fixings: Buffered coat hooks in stainless steel.

External fixings: Stainless steel pull handle to outward opening doors.

Tectus concealed hinges and/or ironmongery to be PVD coated in range of colours available on request.

FIXING

Division to rear wall: Aluminium T-section fixed into pre-grooved division.

Division to pilaster: Concealed high-strength mechanical fixings.

Division/pilaster to floor & ceiling: Aluminium powder coated channel secured to floor.

Division is pre-grooved and placed over the channel, raising it by 20mm and preventing contact with mopping water.

End Pilaster to wall: Fully adjustable aluminium shadow detail.

SIZE

Overall height: To suit ceiling heights up to 3000mm

Division (h x w): To suit ceiling height x 1500mm

Door: (h x w): To suit ceiling height x site dimensions

Centre pilasters (h x w): To suit ceiling height x site dimensions

End pilaster (h x w): To suit ceiling height x site dimensions (min. width 100mm)



Experience washrooms
that go beyond.

The Washroom Studio River House 143-145 Farringdon Road London
EC1R 3AB
Call 024 7662 1122
Email inspired@maxwoodwashrooms.com
Visit www.maxwoodwashrooms.com





Experience washrooms
that go beyond.

The Washroom Studio River House 143-145 Farringdon Road London
EC1R 3AB
Call 024 7662 1122
Email inspired@maxwoodwashrooms.com
Visit www.maxwoodwashrooms.com



Specifications

MARANTÉ REAL WOOD VENEER

Reference: Maxwood MARANTÉ REAL WOOD VENEER

DIVISIONS

Core material: 44mm high grade particle board 650kg/m³.
Colour/ Finish: Real wood veneer as per client choice with two coats of PU lacquer.
Edge treatment: Rebated vertical edges lipped in 20 mm hardwood with 10mm hardwood to horizontal edges. All over-veneered to conceal lipping.
Above-door-panel option available on request.

DOORS AND PILASTERS

Core material: 44mm high grade particle board 650kg/m³.
Colour/ Finish: Real wood veneer as per client choice with two coats of PU lacquer.
Edge treatment: Rebated vertical edges lipped in 20mm hardwood with 10 mm hardwood to horizontal edges. All over-veneered to conceal lipping.
Above-door-panel option available on request.

IRONMONGERY

Hinges: Solid stainless steel Butt hinges (fall to close)
Indicator bolt: Solid stainless steel mortise lock with lever operated turn action.
Damper: Hidden hydraulic soft close mechanism to all doors
Internal fixings: Buffered coat hooks in stainless steel.
External fixings: Stainless steel pull handle to outward opening doors.
Tectus concealed hinges and/or ironmongery to be PVD coated in range of colours available on request.

FIXING

Division to rear wall: Aluminium T-section fixed into pre-grooved division.
Division to pilaster: Concealed high-strength mechanical fixings.
Division/pilaster to floor & ceiling: Aluminium powder coated channel secured to floor.
Division is pre-grooved and placed over the channel, raising it by 20mm and preventing contact with mopping water.
End Pilaster to wall: Fully adjustable aluminium shadow detail.

SIZE

Overall height: To suit ceiling heights up to 3000mm
Division (h x w): To suit ceiling height x 1500mm
Door: (h x w): To suit ceiling height x site dimensions
Centre pilasters (h x w): To suit ceiling height x site dimensions
End pilaster (h x w): To suit ceiling height x site dimensions (min. width 100mm)



Experience washrooms that go beyond.

The Washroom Studio River House 143-145 Farringdon Road London EC1R 3AB

Call 024 7662 1122

Email inspired@maxwoodwashrooms.com

Visit www.maxwoodwashrooms.com



Maranté

GLASS

Adaptable and chic, Maranté Glass is minimal washroom styling at its best. The flush surface appearance derives from a unique pilaster design, using rebated hardwood lipping so the pilasters run in-line with the doors.

Whether in high-gloss or matt, the contemporary finish of Maranté Glass will complement the most luxurious of interior designs.

Full height system, faced in toughened glass - available in polished or matt glass

Soft close doors on fall-to-close hinges used to maintain flush appearance

44mm hardwood lipped doors with 32mm thick division panels

Total flexibility of cubicles sizes - made to measure

Versatile - can be installed in conjunction with dividing stud partition walls

Solid stainless steel ironmongery, available in a range of colours



Experience washrooms
that go beyond.

The Washroom Studio River House 143-145 Farringdon Road London
EC1R 3AB
Call 024 7662 1122
Email inspired@maxwoodwashrooms.com
Visit www.maxwoodwashrooms.com



Specification

MARANTÉ GLASS

Reference: Maxwood MARANTÉ GLASS

DIVISIONS

Core Material: 30mm high-grade particle board (650 kg/m³).
Colour/Finish: High pressure laminate, resulting in 32mm overall panel thickness.
(Option for glass to also be applied to division if required, giving 48mm thickness).
Edge Treatment: All edges lipped in impact-resistant ABS with polyurethane adhesive (see below).

DOORS AND PILASTERS

Core Material: 42mm high grade particle board (650 kg/m³) laminated with High pressure laminate, resulting in 44mm overall panel thickness.
Colour/Finish: Cubicle fronts are faced with 6mm, back painted, toughened glass giving 52mm overall panel thickness. (Option for glass to also be applied to rear of doors and pilasters if required, giving 60mm thickness).
Edge Treatment: All edges lipped in 20mm hardwood and painted/lacquered, including rebated vertical edges; lipping applied using polyurethane adhesive (see below). All glass edges are bevelled and polished.
Adhesive Type: All components are bonded with specialist polyurethane washroom adhesive, for ultimate water-resistance and strength of bonding. This adhesive is environmentally friendly with zero rating formaldehyde emissions.

IRONMONGERY

Hinges: Solid stainless steel butt hinges (fall to close).
Indicator bolt: Solid stainless steel mortise lock with lever operated turn action. Soft close mechanism to all doors.
Internal fixings: Buffered coat hooks in stainless steel.
External fixings: Stainless steel pull handle to outward opening doors.

FIXING

Division to rear wall/IPS: Aluminium T-section which locates into pre-grooved division and is screwed into face of wall/IPS.
Division to pilaster: Concealed high-strength mechanical fixings.
Division/pilaster to floor & ceiling: Aluminium powder coated box-section fixed to floor and ceiling. Division is pre-grooved and placed over the box-section. Division remains raised 20mm AFFL, preventing contact with water.
End Pilaster to wall: Adjustable aluminium shadow detail.
Over door panel (if required): Located using secret bayonet duo fixings.

SIZE

Overall height: To suit ceiling heights up to 3000mm.
Division (h x w): To suit ceiling height x 1500mm.
Door: (h x w): To suit ceiling height and site dimensions.
Centre pilaster (h x w): To suit ceiling height and site dims.
End pilaster (h x w): To suit ceiling height x 120 - 300 mm.

